


1318750 -2 Product Details



1318750 -2

[Active](#)

0.025 Series and Hybrid Connectors and Contacts

[RoHS Compliant \(Statement of Compliance\)](#)

Product Highlights:

- ? Housing Assembly
- ? Receptacle (Cap)
- ? Receptacle Configuration = 025/090
- ? Number of Positions = 50
- ? Mount = Printed Circuit Board

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [025/090 SER 50POS CAP ASSY](#) (TIF, Japanese)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? [025/090II I/O CONNECTOR \(1\)](#) (TIF, Japanese)
- ? [025/090II I/O CONNECTOR \(2\)](#) (TIF, Japanese)
- ? [0.64III/2.3II CONNECTOR \(1\)](#) (TIF, Japanese)
- ? [0.64III/2.3II CONNECTOR \(2\)](#) (TIF, Japanese)

Application Specifications:

- ? [Crimping of 025 Receptacle Contact](#) (PDF, Japanese)

Instruction Sheets:

- ? [025/090II I/O Connector \(1\)](#) (TIF, Japanese)
- ? [025/090II I/O Connector \(2\)](#) (TIF, Japanese)

CAD Files: ([CAD Format & Compression Information](#))

- ? [3D Model](#) (STEP, Version O8)
- ? [2D Drawing](#) (DXF, Version O8)

[List all Documents](#)

Additional Information:

- ? [Product Line Information](#)

Related Products:

- ? [Tooling](#)

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

- ? [Product Type](#) = Housing Assembly
- ? [Gender](#) = Receptacle (Cap)
- ? [Receptacle Configuration](#) = 025/090
- ? [Number of Positions](#) = 50
- ? [Mount](#) = Printed Circuit Board
- ? PCB Mount Angle = Right Angle

Contact Related Features:

- ? [Contact Mating Area Plating \(Signal\)](#) = Pre - Tin
- ? [Contact Mating Area Plating \(Power\)](#) = Pre - Tin
- ? Contact Material = Brass

Housing Related Features:

- ? [Housing Material](#) = PBT
- ? [Housing Color](#) = Natural

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- ? [Terminate To](#) = Printed Circuit Board

Packaging Related Features:

- ? [Packaging Method](#) = Carton

Other:

- ? Brand = AMP